
SMT&PCB Equipments





AVI PRECISION ENGINEERING PTE LTD

一次滿足您對SMT&PCB設備的需求

Satisfy your requirements with SMT & PCB equipments

非接觸式錫膏測厚機 GAM 70 LASER VISION MEASUREMENT

- 測量錫膏厚度的最佳工具。
- 可計算面積、體積、截面積
- 提供各式統計分析圖表,如厚度分佈統計圖、 X-R管制圖,製程能力指標Cp、Cpm、Cpk。
- 提供其它材料測厚,測長量測
- To provide ideal inspection of solder paste thickness.
- Measure the solder area, cross-section and volume.
- Various kind of statistics charts based on needs, like the thickness distribution chart, X-R control chart,
- and process capability index:Cp, Cpm, Cpk.
- Inspect length and thickness for other kinds of materials.



- Windows中英文操作介面,軟體支援相容性高
- 具有4~6個不同感應埠(機型選擇)・持續測量記錄整個迴銲爐内之溫度變化。
- 測定器(ON LINE)操作方式無需加長熱感電隅線
 - PROFILE軟體模擬系統, 提供溫度曲線、時間分析等功能,達到最佳爐溫環境。 操作簡便/單鍵按鈕即可做IN/OUT溫度量取及資料連線作業。
- Windows interface, high compatibility.
- 4 or 6 channel (as the machine selects) to keep measuring of temperature in the reflow oven.
- Need not to add the length of thermocouple cables.
- Powerful software, provide variety of functions, like the temperature curve.
- time analysis, help to achieve perfection temperature. Operation depends on a single-button, user friendly.

PCB分板機 GAM 30 V-CUT PCB SEPARATOR

- 可快速完成SMT加工後之連板分離。
- 减少分板應力,防止不當外力破壞。 等殊圓刀材料設計,確保PCB分割面
- 加強安全裝置,避免人為疏失的傷害。
- Fast accomplish PCB separation
- after SMT process. Effectively reduce stress and prevent
- solder chap from PCB separation.
- High quality blade ensures smooth cutting area.
- Strengthen safety device, prevent
- harm from operator.



鋼板孔壁清洗機 GAM 40 STENCIL HOLE CLEAN MACHINE

- 線上及時鋼板清潔·確保連續印刷製程品質。 徹底解決FINE PITCH鋼板孔壁容易塞孔問題
- 可徹底解決印刷不足/過多之慮
- 外型輕巧,操作簡單。
- Provide On-line function for cleaning stencil hole, ensure quality of solder printing.
- Excellently remove solder paste from stencil by supersonic wave vibration Thoroughly solve insufficient or surplus problem of solder printing.
- Delicately designed, easy to operate.

零件計數器 GAM 12 SMD CHIP COUNTER

- 全自動計算零件數量,方便準確點料、發料作業 獨特設計運轉中料帶防脫裝置,有效解決料帶彈脫
- 内置預備電源設備,不受停電環境影響。 繪圖型LCD多功能顯示螢幕,清楚易判讀。
- 適用:料帶寬度8~56mm 料帶間隔 2~56mm
- Automatically count the quantity of chip, efficiency for stock management.
- Reel derailment protection device from running is provided.
- Equipped with an internal power supply as a backup system during the blackout.
- A drawing LCD screen is fitted, easy to read.
- Suitable for: Reel Width: 8~56mm Reel Pitch: 2~56mm

Effectively achieve unbroken production.

點膠管脫泡機GAM 62 / GAM 62A

快速去除紅膠氣泡,提昇生產品質

CENTRIFUGE MACHINE

- 運轉中掀蓋保護系統(INTER LOCK),確保作業人員安全。 適用各顧牌點膠機用點膠管
- GAM 62 轉速1200rpm,一次可同時脫泡4支膠管
- 膠管規格 4 26mm, 長169mm。
- GAM 62A轉速2800rpm,一次可同時脫泡4支膠管 膠管規格 φ 26mm, 長169mm。
- High performance removing bubble from adhesive,
- enhance quality of production. High safety device with interlock, prevent
- harm from operator.
- Universal fixture, suitable for all kind of commercial container.



料架檢查機 GAM 20系列(P. F. S. K. J) CALIBRATION JIG MACHINE

- ■可模擬料架進料狀況。
- 可減少不良料架所引起的拋料問題。
- 動態運轉模擬調校料架方式(單動/連動選擇)
- 。針對各式不同SMT料架機型開發。
- Feeder simulation is available.
- Effectively prevent the missing chip problem from an imprecision feeder. Available adjusting precision of feeder in simulation state.
- Enhance the simulation effect and easy to observe.
- Develop aims at feeder model.





錫膏/銀膠攪拌機 GAM 60 / GAM 60A CREAM SOLDER MIXER

- 錫膏優良印刷品質的最佳功臣。
- 非接觸式作業,能將錫膏攪拌均匀,
- 快速完成印錫製程
- 電子式計時器及LED顯示,準確操作時間控制。
- ◎運轉中掀蓋保護系統(INTER LOCK),確保作業人員安全。
- 萬用夾具功能,適用性廣。
- 適用罐子尺寸
 - GAM 60 夾具最大尺寸: φ 60mm L: 90mm. GAM 60A夾具最大尺寸: #130mm L:130mm.
- ☆另售GAM 60A: 銀膠攪拌機
- The excellent tool for the best solder printing quality.
- High speed mixing with no air exposure. Well mix solder and effective in SMT print process.
- LED display and microprocessor control is fitted for
- accurate at time control.
- An interlock device is fitted, prevent harm from operator.
- Universal fixture, suitable for all kind of commercial container. Fixture size:
- GAM 60 : Max & 60mm , L: 90mm.
- GAM 60A: Max & 130mm , L: 130mm.

製程專用程式座標機 GAM 800W NC DATA PROGRAMMING MACHINE

- 。提供SMT設備ONLINE作業座標向量值
- 簡易的操作介面,上線更容易、快速。
- 精密光學機構,快速完成影像檢查作業
- 強力介面軟體系統,可支援各式後端控制介面。
- 符合各式SMT、AI機型上線格式。
- The excellent tool to achieve the best efficiency process of SMT. Use as a programming tool for NC machine. Easy coordinate
- data pick up.
- Film, stencil, mask defects can be detected by high accuracy magnify lens. Compatible system as a maximum flexibility suitable for variety of control interface
- Universal data format is provided.





全自動鑽針上環檢查機 GAM 80M AUTOMATIC DRILL BIT RING-SETTING MEASUREMENT INSPECTION MACHINE

- 非接觸式全自動完成鑽針之整備作業。
 - 續針自動上環、直徑檢查,有效刀長檢查、刀刃鋒面檢查。
 - 獨特的影像處理技術,能自動量測並檢測出不良鑽針。
- 進出料機構適用各廠牌讚針包裝盒,能自動快速取圖。
- 視窗操作介面,易學易操作
- 人性化的操作平台·產能高、可靠度高。
- Automatic operation without contact:Ring setting, diameter inspection. Effective drill bit length inspection & drill bit frontal surface inspection.
- Unique image processing technology: automatically inspect & check the defective drill bit.
- Universal carry box, suitable for all different brands of drill bit.
- Window interface: Easy to learn.
- Human operation environment: High productivity & reliability.



印刷電路板孔位檢查機 GAM 900 HOLE INSPECTOR FOR PRINTED CIRCUIT BOARDS

- ■視窗畫面,易學易操作。
- 可依需求調整檢測速度
- 可任意設定檢測與不檢測區域
- 可依需求設定不同孔徑之公差
- 獨特的影像處理技術,檢測穩定性高
- 容許待測板±30度擺放角度偏差
- 可用 PCB樣本或CAM檔做為比對標準 高達2 µm之解析度
- Windows interface: Easy to learn.
- Adjust the inspection speed based on needs.
- Set up the inspection & non-inspection area.
- Set up the hole diameter based on needs.
- Unique image processing technology: High inspection reliability.
- Can tolerate the ±30 degrees deviation of
- the standby plate.
- Compare with PCB or CAM standard. High precision at 2 µ m.