



ILLUSION LED LIMITED

Building A1,B Area,Songbai Industrial Garden,Minghuan East Road,Gongming Town,Bao'an District,Shenzhen,China.

Tel: (+86)755-27159116 Fax: (+86)755-27159137


Website: www.illusion-led.com

Quotation

Ribbon 1 Nonwaterproof Flexible SMD led light ribbon

Part No.	Description	Unit price (usd)		
		<100reels	101-300reels	>300reels
IL-LR3528R300-12	Light Ribbon: smd3528, 12Vdc, 5 meter/reel, 300led/5m, red	44	41	38
IL-LR3528Y300-12	Light Ribbon: smd3528, 12Vdc, 5 meter/reel, 300led/5m,yellow	44	41	38
IL-LR3528B300-12	Light Ribbon: smd3528, 12Vdc, 5 meter/reel, 300led/5m,blue	44	41	38
IL-LR3528PW300-12	Light Ribbon: smd3528, 12Vdc, 5 meter/reel, 300led/5m, pure white	44	41	38
IL-LR3528WW300-12	Light Ribbon: smd3528, 12Vdc, 5 meter/reel, 300led/5m, warm white	44	41	38
IL-LR3528G300-12	Light Ribbon: smd3528, 12Vdc, 5 meter/reel, 300led/5m, green	47	44	40
IL-LR5060RGB150-12	Light Ribbon: smd5060, 12Vdc, 5 meter/reel, 150led/5m, RGB full color	58	55	52


Remarks: 3led cuttable, 8mm wide for single color and 10mm for RGB color, with 3M tape on the back. CE approval,



Ribbon 2 Waterproof flexible SMD led light ribbon (Type A)

Part No.	Description	Unit price (usd)		
		<100reels	101-300reels	>300reels
IL-LR3528R300WP-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, red	52	48	43
IL-LR3528Y300WP-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, yellow	52	48	43
IL-LR3528B300WP-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, Blue	52	48	43
IL-LR3528G300WP-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, Green	55	51	46
IL-LR3528PW300PW-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, Pure white	52	48	43
IL-LR3528WW300WP-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, Warm white	52	48	43
IL-LR5060RGB150WP-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, RGB color	68	64	59

Remarks: 12mm wide for single color and 14.5mm wide for RGB color, with 3M tape on the back. CE approval. IP65



Ribbon 3 Waterproof flexible SMD led light ribbon (Type B)


Part No.	Description	Unit price (usd)		
		<100reels	101-300reels	>300reels
IL-LR3528R300WPB-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, red	52	48	43
IL-LR3528Y300WPB-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, Yellow	52	48	43
IL-LR3528B300WPB-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, Blue	52	48	43
IL-LR3528G300WPB-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, Green	55	51	46
IL-LR3528PW300wpB-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, Pure white	52	48	43
IL-LR3528WW300WPB-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, Warm white	52	48	43
IL-LR5060RGB150WPB-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, RGB color	68	64	59

Remarks: use soft silicon as the waterproof material, CE approval, IP65



Ribbon 4	Waterproof flexible SMD led light ribbon (Type C)			
Part. No.	Description	Unit price (usd)		
		<100reels	101-300reels	>300reels
IL-LR3528PW300WPC-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, pure white,IP67	55	51	47
IL-LR3528WW300WPC-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, warm white,IP67	55	51	47
IL-LR3528R300WPC-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, red,IP67	55	51	47
IL-LR3528G300WPC-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, green,IP67	58	54	49
IL-LR3528B300WPC-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, blue,IP67	55	51	47
IL-LR3528Y300WPC-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, yellow,IP67	55	51	47
IL-LR5060RGB150WPC-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, RGB full color,IP67	71	67	62

Remarks: all the flexible strip are put in glue outside, CE approval, IP67



Ribbon 5	Waterproof flexible SMD led light ribbon (Type D)			
Part. No.	Description	Unit price (usd)		
		<100reels	101-300reels	>300reels
IL-LR3528PW300WPD-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, pure white,IP66	52	48	43
IL-LR3528WW300WPD-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, warm white,IP66	52	48	43
IL-LR3528R300WPD-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, red,IP66	52	48	43
IL-LR3528G300WPD-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, green,IP66	55	51	46
IL-LR3528B300WPD-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, blue,IP66	52	48	43
IL-LR3528Y300WPD-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, yellow,IP66	52	48	43
IL-LR5060RGB150WPD-12	Waterproof Light Ribbon: smd3528, 12Vdc, 5 meter/reel, RGB full color,IP66	68	64	59

Remarks: put the nonwaterproof flexible strip in PE Cannula, CE approval, IP66




Ribbon 6	Nonwaterproof high brightness flexible strip (SMD 5050)			
Part. No.	Description	Unit price (usd)		
		<100reels	101-300reels	>300reels
IL-HLR5050R300-24	high brightness led ribbon, 300led/5m, 24v dc, SMD 5050, 5m/reel, Red	98	95	92
IL-HLR5050Y300-24	high brightness led ribbon, 300led/5m, 24v dc, SMD 5050, 5m/reel, Yellow	98	95	92
IL-HLR5050B300-24	high brightness led ribbon, 300led/5m, 24v dc, SMD 5050, 5m/reel, Blue	98	95	92
IL-HLR5050G300-24	high brightness led ribbon, 300led/5m, 24v dc, SMD 5050, 5m/reel, Green	98	95	92
IL-HLR5050PW300-24	high brightness led ribbon, 300led/5m, 24v dc, SMD 5050, 5m/reel, Pure white	98	95	92
IL-HLR5050WW300-24	high brightness led ribbon, 300led/5m, 24v dc, SMD 5050, 5m/reel, Warm white	98	95	92
Remarks: nonwaterproof, DC 24V, 300led/5m, 6led cuttable, CE approval		104	101	98



Ribbon 7	SMD rigid light bar			
Part. No.	Description	Unit price (usd)		
		<500pc	501-1000pc	>1000pc
IL-LB3528PW30-12	SMD light bar: smd3528, 30-led, 50cm/pc, dc12v, cuttable, pure white	5.6	5.3	5.0
IL-LB3528WW30-12	SMD light bar: smd3528, 30-led, 50cm/pc, dc12v, cuttable, warm white	5.6	5.3	5.0
IL-LB3528R30-12	SMD light bar: smd3528, 30-led, 50cm/pc, dc12v, cuttable, red	4.2	4.0	3.8
IL-LB3528Y30-12	SMD light bar: smd3528, 30-led, 50cm/pc, dc12v, cuttable, yellow	4.6	4.4	4.1

IL-LB3528B30-12	SMD light bar: smd3528, 30-led, 50cm/pc, dc12v, cuttable, blue	4.7	4.5	4.2
IL-LB3528G30-12	SMD light bar: smd3528, 30-led, 50cm/pc, dc12v, cuttable, green	5	4.8	4.5
IL-LB5060RGB30-12	SMD light bar: smd3528, 30-led, 57cm/pc, dc12v, cuttable, RGB	13.5	12.8	12.2

Remarks: nonwaterproof SMD rigid light bar, dc12v, 30led/pc, single color and RGB color, CE approval




Ribbon 8

High Intensity SMD rigid light bar (SMD3528)

Part. No.	Description	Unit price (usd)		
		<500pc	501-1000pc	>1000pc
IL-HDLB3528PW80-12	Intensity light bar: smd3528, 80-led, cuttable, 100cm long, dc12v, pure white	16.8	16.0	15.1
IL-HDLB3528WW80-12	Intensity light bar: smd3528, 80-led, cuttable, 100cm long, dc12v, warm white	16.8	16.0	15.1
IL-HDLB3528R80-12	Intensity light bar: smd3528, 80-led, cuttable, 100cm long, dc12v, red	15.4	14.6	13.9
IL-HDLB3528Y80-12	Intensity light bar: smd3528, 80-led, cuttable, 100cm long, dc12v, yellow	16.2	15.4	14.5
IL-HDLB3528B80-12	Intensity light bar: smd3528, 80-led, cuttable, 100cm long, dc12v, blue	15.9	15.1	14.3
IL-HDLB3528G80-12	Intensity light bar: smd3528, 80-led, cuttable, 100cm long, dc12v, green	16.2	15.4	14.6
IL-HDLB3528PW39-12	Intensity light bar: smd3528, 39-led, cuttable, 50cm long, dc12v, pure white	8.1	7.7	7.3
IL-HDLB3528WW39-12	Intensity light bar: smd3528, 39-led, cuttable, 50cm long, dc12v, warm white	8.1	7.7	7.3
IL-HDLB3528R39-12	Intensity light bar: smd3528, 39-led, cuttable, 50cm long, dc12v, red	7.4	7.0	6.7
IL-HDLB3528Y39-12	Intensity light bar: smd3528, 39-led, cuttable, 50cm long, dc12v, yellow	7.8	7.4	7.0
IL-HDLB3528B39-12	Intensity light bar: smd3528, 39-led, cuttable, 50cm long, dc12v, blue	7.6	7.3	6.9
IL-HDLB3528G39-12	Intensity light bar: smd3528, 39-led, cuttable, 50cm long, dc12v, green	7.8	7.4	7.0

Remarks: nonwaterproof SMD intensity light bar, dc 12v, with single color only, CE approval



Ribbon 9

Aluminum Waterproof SMD Light Bar

Part. No.	Description	Unit price (usd)		
		<500pc	501-1000pc	>1000pc
IL-LB3528PW30WP-12	aluminum light bar: smd 3528, 30led/0.5m, dc 12v, waterproof IP65, pure white	6.2	5.9	5.7
IL-LB3528WW30WP-12	aluminum light bar: smd 3528, 30led/0.5m, dc 12v, waterproof IP65, warm white	6.2	5.9	5.7
IL-LB3528R30WP-12	aluminum light bar: smd 3528, 30led/0.5m, dc 12v, waterproof IP65, red	6.2	5.9	5.7
IL-LB3528Y30WP-12	aluminum light bar: smd 3528, 30led/0.5m, dc 12v, waterproof IP65, yellow	6.2	5.9	5.7
IL-LB3528B30WP-12	aluminum light bar: smd 3528, 30led/0.5m, dc 12v, waterproof IP65, blue	6.2	5.9	5.7
IL-LB3528G30WP-12	aluminum light bar: smd 3528, 30led/0.5m, dc 12v, waterproof IP65, green	6.2	5.9	5.7
IL-LB5050PW30WP-12	aluminum light bar: smd5050, 30led/0.58m, dc 12v, waterproof IP65, pure white	10.5	9.9	9.5
IL-LB5050WW30WP-12	aluminum light bar: smd5050, 30led/0.58m, dc 12v, waterproof IP65, warm white	10.5	9.9	9.5
IL-LB5050R30WP-12	aluminum light bar: smd5050, 30led/0.58m, dc 12v, waterproof IP65, red	10.5	9.9	9.5
IL-LB5050Y30WP-12	aluminum light bar: smd5050, 30led/0.58m, dc 12v, waterproof IP65, yellow	10.5	9.9	9.5
IL-LB5050B30WP-12	aluminum light bar: smd5050, 30led/0.58m, dc 12v, waterproof IP65, blue	10.5	9.9	9.5
IL-LB5050G30WP-12	aluminum light bar: smd5050, 30led/0.58m, dc 12v, waterproof IP65, green	10.5	9.9	9.5
IL-LB5060RGB30WP-12	aluminum light bar: smd5050, 30led/0.58m, dc 12v, waterproof IP65, RGB	11.9	11.4	11

Remarks: waterproof aluminum light bar, smd3528, 30led/pc, IP65, CE approval



Payment Method:

By T/T payment to:

Our Company name: **ILLUSION LED LIMITED**

Our Company address: **Wayson Comm.Bldg,No.28,Connaught Rd.W.,Sheung Wan,H.K**

Bank Name: **HANG SENG BANK LTD.,SHENZHEN BRANCH**

Bank Address: **SHOP 103, SI DA BUILDING NAN HAI AVENUE, NANSHAN DISTRICT, SHENZHEN, CHINA.**

Bank Account No.: **522-000991-056**

Swift Code: **HASECNSHSZH**