



400 Mercury Tape
Application: Decorative Purpose, Photo Album, Candy Can And Biscuit Manufacturer.
Size: 12mm x 50m **Width:** 3mm - 1000m
Length: 15y - 500m **Thickness:** 50mic ± (#400) 80mic ± (#401)
Colour: Red, Blue, Gold, Silver, Purple And Green



Metallic Polypropylene Foamed Ribbon
Standard Size: 5mm - 650mm
Standard Length: 20m - 1000m
Colour: Various Available



Sweet Bows
Size: 19mm (Width) x 520mm (Length)



028 Transparent Cake Separator Film
Application: Decorative Cake Wrapper, Divider
Size: 55mm x 350mm ± x 1000pcs/ pkts
 65mm x 350mm ± x 1000 pcs/ pkts



Range Of Polypropylene Foamed Ribbon



Polypropylene Foamed Ribbons (P.P. Ribbons)
Size: 12mm - 1100mm (Width)
 20yds - 1000yds (Length)



09245 Polypropylene Foam Curling Ribbon
Application: Cake Boxes Wrapping/Packing, Balloons Tie, Party Sets Decorative etc
Standard Width: 5mm, 9mm, 10mm
Standard Length: 250m, 500m



Fancy Film (Transparent)
Standard Width: 700mm - 1000mm
Standard Length: 1m - 500m
Thickness: 30mic
Colour: Various Colour & Design



2101 Sweet Bows (Pulling Type)
Material: Lace Polypropylene Foam Ribbons
Size: 22mm - 520 mm



2602 Metallic Tinsel Garland/Bubbles Tinsel



Metallic Tinsel Garland
Size: 2" - 6"
Length: 6' - 100 ft
Colour: Various Available
Packing: As Request



Pink Point Ribbons
Standard Width: 12mm - 1100 mm
Standard Length: 20yds - 1000yds
Colour: Various Design and Colour



Metallic Films
Standard Width: 635m
Standard Length: 10yds, 50yds, 100yds, 550yds
Colour: Various Colour Available



Curling Ribbon (Cakes Ties Ribbons)
Material: Polypropylene Foam Ribbons, Gold Line Curling (Fancy Ribbons), Metallic Curling, Pinkpoint Curling
Standard Width: 5mm - 10mm
Standard Length: 100yds, 245 yds - 500yds



Polypropylene Ribbon (Non Foamed)
Standard Width: 10mm - 1100mm
Standard Length: 10m -1500m



Polypropylene Foamed Group Photo And Gift Wrapping Ribbons




Double Sided Crepe Paper
Size: 25cm x 100cm, 10 sheets/ pkts




1920 Polypropylene Foamed Ribbons
Size: 19mm x 20yds (Other Sizes Also Available)
Colour: Various Colour Available



Star Bows
Size: 8mm -19mm
Size: 9 loops - 20 loops



3804 Polypropylene Foamed Fancy Ribbons
Size: 38 mm x 4 Gold Lines




1202/ # 1902 Fancy Ribbons
Size: 12mm x 2 Gold Lines, 19mm x 2 Gold Lines



RC 2505 Decorative Rainbow Ribbon (Embossed)
Size: 25mm x 20yds
Colour: Various Colour Available Upon Request



2505 Fancy Ribbon
Material: 5 Gold Lines



1201 Fancy Ribbon
Size: 12mm x 1 Gold Line
Colour: Various Colour Available




Colour Bakery Tape
 Standard Size: 9mm x 50m
 Colour: Red, Yellow, Green, Dark Blue, Orange, White & Black
 Adhesive: Rubber Base




820/ # 816 Biaxially Oriented Polypropylene Tape
 Standard Width: 48mm
 Standard Length: 20m, 40m, 50m, 90m, 1000yds
 Colour: Transparent, Brown, Crystal Clear
 Adhesive: Solvent Acrylic Base



R701/ # 701 S.K.P.T. Kraft Tape
 Main User: Sealing, Packing (Water Proof Tape)
 Standard Width: 12mm, 24mm, 36mm, 48mm, 96 mm
 Standard Length: 25m - 50m
 Thickness: ± 140mic
 Adhesive: Natural Rubber Latex (Emulsion)/ Acrylic Solvent



#820 Biaxially Oriented Polypropylene Printing Tape
 Application: Packing Purpose
 Standard Width: 48mm
 Standard Length: 50mm - 1000m
 Adhesive: Emulsion Acrylic



820 O. P. P. Tape
 Application: Packing Purpose
 Standard Width: 48mm
 Standard Length: 20m, 40m, 50m, 90m, 1000yds
 Standard Size: 12mm - 96mm
 Adhesive: Emulsion Acrylic



300 Floral Tape (Wrapping)
 Application: Flower Making Material
 Standard Width: 12mm, 24mm
 Standard Length: 20yds, 30yds
 Colour: Moss, White, Yellow, Black, Brown, Gold, Silver etc



#820 Biaxially Oriented Polypropylene Printing Tape
 Application: Packing Purpose
 Standard Width: 48mm
 Standard Length: 50mm - 1000m
 Adhesive: Emulsion Acrylic



820 Brown Colour Biaxially Oriented Polypropylene Tape
 Application: Packing Purpose
 Standard Size: 12mm - 96mm Standard Width: 48mm
 Standard Length: 20m, 40m, 50m, 90m, 1000yds
 Adhesive: Emulsion Acrylic



300 Floral Tape (Wrapping)
 Application: Flower Making Material
 Standard Width: 12mm, 24mm
 Standard Length: 20yds, 30yds
 Colour: Moss, White, Yellow, Black, Brown, Gold, Silver etc



820 Brown Colours Biaxially Oriented Polypropylene Tape
 Application: Packing Purpose
 Standard Width: 48mm
 Standard Length: 20m - 1000m
 Adhesive: Emulsion Acrylic




219 Cellulose Tape
 Application: Stationery, Packing
 Standard Width: 12mm - 96mm
 Standard Length: 30m - 66m
 Adhesive: Solvent Rubber
 Feature: Easy Tear, Strong Adhesive For P.P.P.E. Bag Material



B.O.P.P. Lamination Tape
 Application: Poster, Printing & Lamination Purpose
 Standard Width: 20mm - 100mm
 Standard Length: 200m, 400m, 600m
 Standard Thickness: 40 - 45mic ±
 Adhesive: Acrylic Solvent



Polypropylene (P.E.) Surface Protective Tape
Application: Surface Protective From Scratching, Dust Proof, Contamination For Stainless Steel, Sheets or Rolls, Aluminium Sheets, Colours Steel Sheets, Name Plates, Decorative Plywood, Furniture, Electronic Surface etc.
Width: 20mm - 1250mm **Length:** 200m **Thickness:** ± 55mic
Adhesive: Silicon Adhesive



Polypropylene (P.E.) Protective Tape
Application: Surface Protective From Scratching, Dust Proof, Contamination For Stainless Steel, Sheets or Rolls, Aluminium Sheets, Colours Steel Sheets, Name Plates, Decorative Plywood, Furniture, Electronic Surface etc.
Width: 20mm - 1250mm **Length:** 200m **Thickness:** ± 55mic
Adhesive: Silicon Adhesive



400 Mercury Tape (without Release Liner)
401 Mercury Tape (with Release Liner)
Main User: Decorative Adhesive Tape, Photo Album & Candy Products
Size: 12mm x 50m **Thickness:** 50mic ± (#400) 80mic ± (#401)
Width: 3mm - 1000m **Length:** 15yds - 500m
Colour: Red, Blue, Gold, Silver, Purple, Green
Adhesive: Acrylic Solvent



707 Polypropylene (P.E.) Foamed Double Coated Tape (Heavy Duty)
Application: Signboard, Name Plate, Car Number Plate, Car Lining, Hooks, Household, Automotive Assembly etc.
Width: 12mm, 18mm, 24mm, 36mm, 48mm
Length: 10m (up to 66m) **Thickness:** 0.8mm, 1.0mm
Colour: Black, White (Other sizes & length are available as request)
Adhesive: Acrylic Solvent



501 Eva Foamed Double Coated Tape
Application: Poster, Car Refreshener, Hooks, Household And Fitting Matter Material
Sizes: 6mm, 12mm, 18mm, 24mm, & Others
Colour: Black & White
Adhesive: Solvent Acrylic



F501 Eva Foamed Double Coated Tape
Application: Household, Poster, Office Equipment, Gasketing, Automotive Assembly etc.
Standard Width: 12mm, 18mm, 24mm, 36mm, 48mm
Standard Length: 10yds (up to 66m)
Thickness: 0.5mm, 0.8mm, 1.0mm, 1.5mm, 2mm, 3mm, 5mm
Colour: Black, White **Adhesive:** Acrylic Solvent



F3000 # F501 Single/ Double Sided Foam
Application: Glass Wall, House Furniture, Machinery, Aluminium Sash, Electronic, Air Conditioning, Automotive Instrument Panel, Refrigerator, Ducting Works etc.
Main Purpose: Thermal Insulation, Moisture Resistance, Shock Absorption, Sound Insulation, Vibration Dampening
Width: 3mm - 1000mm **Length:** 1m - 2m **Thickness:** 0.5mm - 25mm
Foam Colour: Black, White **Adhesive:** Acrylic Solvent




800 Polyurethane Foamed Double Coated Tape
Application: Automotive Instrument Panel, Car Number Plate, Car Lining
Standard Width: 12mm, 18mm, 24mm, 36mm, 48mm
Standard Length: 10m (up to 66m)
Thickness: 0.8mm **Colour:** Black
Adhesive: Acrylic Solvent




6004 Double Coated Cotton Cloth Tape
Application: Fixing Carpets At Shows & Exhibitions (Removable)
Standard Size: 50mm x 25m
Adhesive: Solvent Acrylic/ Rubber Base



PVC Advertising Tape
Application: Decorative Sticker (For Automotive) Exhibition Booths, Notice Board, Art Studio, Stationery, Silkscreening
Size: 914mm x 10yds, 1220mm x 20yds, 500mm x 100yds
Colour: Various Available
Adhesive: Acrylic Solvent



F501 SC Eva Foamed Single/ Double Coated Tape (Square)
Application: Automotive, Air Conditioning, Electronic, Building, Hooks, Household, Gasketing
Main Purpose: Anti Slip, Holding, Vibration Dampening, Shock Absorption **Thickness:** 0.5mm - 5mm **Colour:** Black And White
Adhesive: Acrylic Solvent



F501 SC Eva Foamed Single/ Double Coated Tape (Rounded)
Application: Automotive, Air Conditioning, Electronic, Building, Gasketing
Main Purpose: Anti Slip, Holding, Vibration Dampening, Shock Absorption **Thickness:** 0.5mm - 5mm **Colour:** Black And White
Adhesive: Acrylic Solvent



Polyethylene Stretch Film
Standard Width: 50mm - 500mm
Standard Length: 200m - 1500m
Standard Thickness: 18mic, 20mic, 23mic




R705 Masking Tape (General Purpose)
Application: Fixing Carpets At Shows & Exhibitions, Car Carpet
Standard Width: 6mm - 300mm
Standard Length: 20m - 300m
Adhesive: Natural Rubber Latex (Emulsion)
 (World No. 1)



R703 Masking Tape
Application: Fixing Carpets At Shows & Exhibitions, Car Carpet
Standard Width: 6mm - 300mm
Standard Length: 20m - 300m
Adhesive: Natural Rubber Latex (Emulsion)
 (World No. 1)



F3000 # F501 Single/ Double Sided Foam
Application: Glass Wall, House Furniture, Machinery, Aluminium Sash, Electronic, Air Conditioning, Automotive Instrument Panel, Refrigerator, Ducting Works etc.
Main Purpose: Thermal Insulation, Moisture Resistance, Shock Absorption, Sound Insulation, Vibration Dampening
Width: 3mm - 1000mm **Length:** 1m - 2m **Thickness:** 0.5mm - 25mm
Foam Colour: Black, White **Adhesive:** Acrylic Solvent



801 PVC Surface Protective Tape
Standard Width: 18mm - 1250m
Standard Length: 90m
Thickness: 0.13mm
Colour: Transparent Blue, White, Black
Adhesive: Solvent Rubber



Book Binding Tape (Cloth Tape)
Standard Width: 6mm - 1250mm
Standard Length: 5m - 1000m



318 / # 319 Hazard & Floor Marking Tape
Size: 0.15mm x 48mm x 33mm
Adhesive: Solvent Rubber



302 # 303 Cloth Tape
Standard Width: 24mm - 72mm (Other Sizes Also Available)
Standard Length: 9m - 50m
Colour: Black, White, Red, Marron, Yellow, Green, Beige, Brown, Silver, Dark Blue, Sky Blue, Light Blue
Adhesive: Solvent Rubber



Release Paper
Standard Width: 6mm - 1260mm
Standard Length: 10m - 1000m




318 / # 319 Hazard & Floor Marking Tape
Size: 0.15mm x 48mm x 33mm
Adhesive: Solvent Rubber



302 / # 303 Cloth Tape
Standard Width: 24mm - 72mm (Other Sizes Also Available)
Standard Length: 9m - 50m
Colour: Black, White, Red, Marron, Yellow, Green, Beige, Brown, Silver, Dark Blue, Sky Blue, Light Blue
Adhesive: Solvent Rubber



900 / # 905 Stationery (B.O.P.P. Films)
Standard Width: 12mm, 18mm, 24mm
Standard Length: 5m - 66m
Adhesive: Acrylic Solvent & Acrylic Emulsion




R705 Masking Tape (General Purpose)
Application: Packing, Sealing And Other General Purpose
Standard Width: 6mm - 1300mm
Standard Length: 20m - 3000m
Adhesive: Natural Rubber Latex (Emulsion)
 (World No. 1)



402 Aluminium Foil Tape
Application: Duet Sealing & Joining, Air Conditioning, Vapour Barrier And Refrigerator.
Width: 18mm - 1200mm
Standard Length: 35m, 45m.
Standard Thickness: 30mic, 35mic, 40mic, 50mic.
Adhesive: Acrylic Solvent/ Natural Rubber Latex




707 Polyethylene (PE) Foamed Double Coated Tape
Application: Automotive Parts & Components, Car Lining, Car Number Plate etc.
Width: 12mm, 18mm, 24mm (Other Sizes Also Available)
Length: 1m **Thickness:** 1mm, 1.5mm, 2mm
Adhesive: Strong Solvent Adhesive



PVC Electrical Insulating Tape
Application: Electrical Wire Insulating
Standard Size: 0.13mm x 18mm x 8 yds
Colours: Various Available
Adhesive: Solvent Rubber



R706 Masking Tape (120°C/ 2Hours)
Application: Industrial Use, Car Spraying, Painting Works
Standard Width: 6mm - 1250mm
Standard Length: 20m - 500m
Adhesive: Natural Rubber Latex (Emulsion)
 (World No. 1)



T501, #6001, #6002 Double Sided Tissue Tape
Application: Industrial Use, Name Plate, Electronic Parts, Paper Splicing
Standard Width: 12mm, 18mm, 24mm, 36mm, 48mm
Standard Length: 10m, 15y, 50m
Adhesive: Acrylic Solvent



6001 Double Coated Tissue Tape
Application: Office Use, Name Plate, Electronic Parts, Sewing, Paper Splicing, Silk Screen.
Width: 3mm - 1250mm
Length: 10yds - 1000m
Adhesive: Solvent Acrylic



R728 Masking Tape (160°C)
Application: Industrial Use, Car Spraying, Painting Works
Standard Width: 6mm - 1250mm
Standard Length: 20m - 500m
Adhesive: Natural Rubber Latex (Emulsion)
 (World No. 1)



6002 Double Sided Tissue Tape
Application: Strong Adhesive For Industries, Foam Joining, Paper Splicing & Name Plate
Standard Width: 12mm, 18mm, 24mm, 36mm, 48mm
Standard Length: 10m, 15y, 50m
Adhesive: Rubber Solvent



6001 Double Coated Tissue Tape
Application: Office Use, Name Plate, Electronic Parts, Sewing, Paper Splicing, Silk Screen
Width: 3mm - 1250mm
Length: 10yds - 1000m
Adhesive: Solvent Acrylic



6004 Double Coated Cotton Cloth Tape
Application: Fixing Carpets At Shows & Exhibitions, Car Carpet
Standard Size: 50mm x 25m
Adhesive: Solvent Acrylic/ Rubber Base



#T501 Double Sided Tissue Tape
Application: Strong Adhesive For Industries, Name Plate, Plastic Sheets/ Films, Electronic Parts
Standard Width: 12mm, 18mm, 24mm, 36mm, 48mm
Standard Length: 10m, 15y, 50m
Adhesive: Acrylic Solvent



Group Of Various Tape




707 Polyethylene (PE) Foamed Double Coated Tape

Application: Mounting Tape, Hook, Office Use
Width: 12mm, 18mm, 24mm
Length: 1m, 1.5m, 2m
Thickness: 1mm, 1.5mm, 2mm
Adhesive: Strong Solvent Adhesive




707 Polyethylene (PE) Foamed Double Coated Tape

Application: Mounting Tape, Hook, Office Use
Width: 12mm, 18mm, 24mm
Length: 1m
Thickness: 1mm, 1.5mm, 2mm
Adhesive: Strong Solvent Adhesive



Sequencing Tape & Kraft Liner




Sequencing Tape

Application: Ideally For Most Electronic Components Bandoliering & Sequencing.
Width: 5mm - 10mm **Length:** 500m - 12,000m
Thickness: 0.13mm - 0.18mm
Heat Resistant: 80° C - 170° C (60 minutes)
Adhesive: Natural Rubber Latex (Emulsion)



F501 Eva Foamed Double Coated Tape

Application: Mounting Tape, Hook, Office Use
Width: 12mm, 18mm, 24mm
Length: 1m
Thickness: 1mm, 1.5mm, 2mm
Adhesive: Strong Solvent Adhesive



Crepe Paper Sequencing Tape

Application: Ideally For Most Electronic Components Bandoliering & Sequencing.
Standard Width: 5.8mm, 6mm
Standard Length: 500m, 3000m, 6000m
Standard Thickness: 1mm, 1.5mm, 2mm
Adhesive: Latex Adhesive/ Solvent Rubber



Polypropylene Foamed Tape

Application: Cables Wrapping (Mainly Use In IEC503, 13 KV & 3 Core Cable)
Thickness: ± 120mic - 150mic
Colour: White, Grey



501 Eva Foamed Double Coated Tape

Application: Poster, Car Refreshener, Hooks, Household And Fitting Matter Material
Sizes: 6mm, 12mm, 18mm, 24mm, & Others
Colour: Black & White
Adhesive: Strong Solvent Adhesive



Kraft Liner

Application: Used In Combination With Adhesive Tape For Radial Type Of Electronic Components
Material: Kraft Paper (280, 300, 320, 340, 360, 380gsm)
Standard Width: 10mm, 15mm, 18mm (Other Sizes Also Available)
Standard Length: 650m, 1000m
Standard Thickness: 1mm, 1.5mm, 2mm



Polypropylene Foamed Tape

Application: Cables Wrapping (Mainly Use In IEC503, 13 KV & 3 Core Cable)
Thickness: ± 120mic - 150mic
Colour: White, Grey



PVC Electrical Insulating Tape

Application: Electrical Wire Insulating
Size: 0.13mm x 18mm x 8yds
Colour: Various available
Adhesive: Natural Rubber Latex (Emulsion)




Sequencing Adhesive & Non - Adhesive Tape (Group Picture)




Insulating Non - Adhesive Paper Tape (Pancake)

Application: Used In Combination With Adhesive Tape For Cost Saving
Standard Width: 6mm, 6.2mm
Standard Length: 500m, 1000m
Standard Thickness: 0.11mm ±
Colour: White, Yellow, Blue & Others



Insulating Non - Adhesive Paper Tape (Pancake)

Application: Used In Combination With Adhesive Tape For Cost Saving
Standard Width: 6mm, 6.2mm
Standard Length: 500m, 1000m
Standard Thickness: 0.11mm ±
Colour: White, Yellow, Blue & Others



Crepe Paper Sequencing Tape

Application: Ideally For Most Electronic Components Bandoliering & Sequencing.
Standard Width: 5.8mm, 6mm
Standard Length: 500m, 3000m, 6000m
Standard Thickness: 1mm, 1.5mm, 2mm
Adhesive: Latex Adhesive/ Solvent Rubber




Insulating Non - Adhesive Paper Tape (Pancake)

Application: Used In Combination With Adhesive Tape For Cost Saving
Standard Width: 6mm, 6.2mm
Standard Length: 500m, 1000m
Standard Thickness: 0.11mm ±
Colour: White, Yellow, Blue & Others



Carrier Tape (Non Adhesive)

Application: Electronic, Capacitor, Axial, Chip etc
Colour: White, Yellow, Blue




Crepe Paper Sequencing Tape

Application: Ideally For Most Electronic Components Bandoliering & Sequencing.
Standard Width: 5.8mm, 6mm
Standard Length: 500m, 3000m, 6000m
Standard Thickness: 1mm, 1.5mm, 2mm
Adhesive: Latex Adhesive/ Solvent Rubber



Group Picture

- 1) Crepe Paper Adhesive Tape
- 2) Colours Insulating Adhesive Tape
- 3) Heat Activated Kraft Paper Tape



Carrier Tape (Non Adhesive)

Application: Electronic, Capacitor, Axial, Chip etc
Colour: White, Yellow, Blue




Kraft Liner

Application: Used In Combination With Adhesive Tape For Radial Type Of Electronic Components
Material: Kraft Paper (280, 300, 320, 340, 360, 380gsm)
Standard Width: 10mm, 15mm, 18mm
Standard Length: 650m, 1000m
Standard Thickness: 1mm, 1.5mm, 2mm



Insulating Non - Adhesive Paper Tape (Pancake)

Application: Used In Combination With Adhesive Tape For Cost Saving
Standard Width: 6mm, 6.2mm
Standard Length: 500m, 1000m
Standard Thickness: 0.11mm ±
Colour: White, Yellow, Blue & Others



Carrier Tape (Non Adhesive)

Application: Electronic, Capacitor, Axial, Chip etc
Colour: White, Yellow, Blue